

March 15, 2017

Dave Blye  
Environmental Standards, Inc.  
1140 Valley Forge Road  
PO Box 810  
Valley Forge, PA 19482

RE: Project: Hudson River Remedial Action  
Pace Project No.: 10380577

Dear Dave Blye:

Enclosed are the analytical results for sample(s) received by the laboratory on March 02, 2017. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

This report was revised on March 14, 2017 to correct the LCS and LCSD recoveries for TSS.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Carol Davy  
carol.davy@pacelabs.com  
1(612)607-6436  
Project Manager

Enclosures

cc: Meg Michell, Environmental Standards, Inc.



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: Hudson River Remedial ActionRE  
Pace Project No.: 10380577

### Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414  
Alaska Certification UST-107  
525 N 8th Street, Salina, KS 67401  
A2LA Certification #: 2926.01  
Alaska Certification #: UST-078  
Alaska Certification #MN00064  
Alabama Certification #40770  
Arizona Certification #: AZ-0014  
Arkansas Certification #: 88-0680  
California Certification #: 01155CA  
Colorado Certification #Pace  
Connecticut Certification #: PH-0256  
EPA Region 8 Certification #: 8TMS-L  
Florida/NELAP Certification #: E87605  
Guam Certification #:14-008r  
Georgia Certification #: 959  
Georgia EPD #: Pace  
Idaho Certification #: MN00064  
Hawaii Certification #MN00064  
Illinois Certification #: 200011  
Indiana Certification#C-MN-01  
Iowa Certification #: 368  
Kansas Certification #: E-10167  
Kentucky Dept of Envi. Protection - DW #90062  
Kentucky Dept of Envi. Protection - WW #:90062  
Louisiana DEQ Certification #: 3086  
Louisiana DHH #: LA140001  
Maine Certification #: 2013011  
Maryland Certification #: 322

Michigan DEPH Certification #: 9909  
Minnesota Certification #: 027-053-137  
Mississippi Certification #: Pace  
Montana Certification #: MT0092  
Nevada Certification #: MN\_00064  
Nebraska Certification #: Pace  
New Jersey Certification #: MN-002  
New York Certification #: 11647  
North Carolina Certification #: 530  
North Carolina State Public Health #: 27700  
North Dakota Certification #: R-036  
Ohio EPA #: 4150  
Ohio VAP Certification #: CL101  
Oklahoma Certification #: 9507  
Oregon Certification #: MN200001  
Oregon Certification #: MN300001  
Pennsylvania Certification #: 68-00563  
Puerto Rico Certification  
Saipan (CNMI) #:MP0003  
South Carolina #:74003001  
Texas Certification #: T104704192  
Tennessee Certification #: 02818  
Utah Certification #: MN000642013-4  
Virginia DGS Certification #: 251  
Virginia/VELAP Certification #: Pace  
Washington Certification #: C486  
West Virginia Certification #: 382  
West Virginia DHHR #:9952C  
Wisconsin Certification #: 999407970

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: Hudson River Remedial ActionRE

Pace Project No.: 10380577

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10380577001	HFL-SVDB-T170301124240	Water	03/01/17 10:30	03/02/17 09:45

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE ANALYTE COUNT

Project: Hudson River Remedial ActionRE

Pace Project No.: 10380577

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10380577001	HFL-SVDB-T170301124240	SM 2540D	NAS	1	PASI-M

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: Hudson River Remedial ActionRE

Pace Project No.: 10380577

---

**Method:** SM 2540D

**Description:** 2540D TSS, Low Level

**Client:** Anchor QEA, LLC

**Date:** March 15, 2017

**General Information:**

1 sample was analyzed for SM 2540D. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: Hudson River Remedial ActionRE

Pace Project No.: 10380577

**Sample:** HFL-SVDB-T170301124240 **Lab ID:** 10380577001 Collected: 03/01/17 10:30 Received: 03/02/17 09:45 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>2540D TSS, Low Level</b>									
Analytical Method: SM 2540D									
Total Suspended Solids	<b>10.6</b>	mg/L	1.0	0.50	1		03/06/17 10:09		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: Hudson River Remedial ActionRE

Pace Project No.: 10380577

QC Batch: 462644

Analysis Method: SM 2540D

QC Batch Method: SM 2540D

Analysis Description: 2540D TSS, Low Level

Associated Lab Samples: 10380577001

METHOD BLANK: 2529854

Matrix: Water

Associated Lab Samples: 10380577001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Total Suspended Solids	mg/L	<1.0	1.0	0.50	03/06/17 10:09	

LABORATORY CONTROL SAMPLE & LCSD: 2529855

2529856

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Total Suspended Solids	mg/L	100	86.1	92.8	86	93	80-120	7	10	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

Date: 03/15/2017 09:13 AM

Page 7 of 11

10380577

7 of 23

## QUALIFIERS

Project: Hudson River Remedial ActionRE  
Pace Project No.: 10380577

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Hudson River Remedial ActionRE

Pace Project No.: 10380577

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10380577001	HFL-SVDB-T170301124240	SM 2540D	462644		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



181 West Grand Avenue Montville, NJ 07045 PH: 201-938-2899

Client: General Electric Company

# ENVIRONMENTAL SAMPLE CHAIN OF CUSTODY

COC ID: COC170301124340PACE  
Sample Custodian: CCY  
Lab: PACE

Project: Hudson River Remedial Action Monitoring Program - Resuspension Monitoring

COC Sample Number	Field Sample ID	QA/QC	Matrix **	Date Collected	Time Collected	Media*	# Containers	TEST REQUESTED	METHOD	MS	MSD	LD	Turn Around Time (hrs)	Preservative
001	HFL-SVDB-T170301124240	ENV	W	03/01/2017	10:30	W	3							
Total Suspended Solids SM 2540D N N N 504 4degC														
CS PCBs NE294_02 N N N 504 4degC														

001

10380577


Comments: Temp 7.2°C	
<b>Relinquished by:</b> Signature: <i>[Signature]</i> Print Name: M. Baker Company: PACE Date/Time: 3/1/17 13:20	<b>Received by:</b> Signature: <i>[Signature]</i> Print Name: M. Baker Company: PACE Date/Time: 3/1/17 13:26
<b>Relinquished by:</b> Signature: <i>[Signature]</i> Print Name: M. Baker Company: PACE Date/Time: 3/1/17 13:26	<b>Received by:</b> Signature: <i>[Signature]</i> Print Name: M. Baker Company: PACE Date/Time: 3/1/17 13:26
<b>Relinquished by:</b> Signature: <i>[Signature]</i> Print Name: M. Baker Company: PACE Date/Time: 3/1/17 13:26	<b>Received by:</b> Signature: <i>[Signature]</i> Print Name: M. Baker Company: PACE Date/Time: 3/1/17 13:26

\*\* W = Total/Whole, D = Dissolved, R = Residue, S = Sediment

\* S = SEDIMENT, W = WATER, PW = PORE WATER

Date Printed: 3/1/2017

T=0.2°C

	Document Name: <b>Sample Condition Upon Receipt Form</b>	Document Revised: 19Dec2016 Page 1 of 2
	Document No.: <b>F-MN-L-213-rev.20</b>	Issuing Authority: Pace Minnesota Quality Office

**Sample Condition  
Upon Receipt**

Client Name:

Project #:

**WO#: 10380577**

Courier:

☒ Fed Ex ☐ UPS ☐ USPS ☐ Client

☐ Commercial

☐ Pace ☐ Speedee ☐ Other: \_\_\_\_\_



10380577

Tracking Number:

**7145 4771 6473**

Custody Seal on Cooler/Box Present?

☒ Yes ☐ No

Seals Intact?

☒ Yes ☐ No

Optional: Proj. Due Date: Proj. Name:

Packing Material:

☐ Bubble Wrap

☐ Bubble Bags

☐ None

☒ Other: **PB**

Temp Blank?

☒ Yes ☐ No

Thermometer

☒ 151401163

Used:

☐ 151401164

Type of Ice:

☒ Wet

☐ Blue

☐ None

☐ Samples on ice, cooling process has begun

Cooler Temp Read (°C):

**0.1**

Cooler Temp Corrected (°C):

**0.2**

Biological Tissue Frozen?

☐ Yes ☐ No

☒ N/A

Temp should be above freezing to 6°C

Correction Factor:

**40.1**

Date and Initials of Person Examining Contents:

**RL 3/2/17**

USDA Regulated Soil ( ☒ N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)?

☐ Yes ☒ No

Did samples originate from a foreign source (internationally including Hawaii and Puerto Rico)?

☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name and/or Signature on COC?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	4.
Samples Arrived within Hold Time?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72 hr)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered Volume Received for Dissolved Tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes Date/Time/ID/Analysis Matrix: <b>WT</b>		
All containers needing acid/base preservation have been checked?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH Positive for Res. Chlorine? Y N
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , <2pH, NaOH >9 Sulfide, NaOH >12 Cyanide)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Sample #
Exceptions: VOA, Coliform, TOC/DOC Oil and Grease, DRO/8015 (water) and Dioxin.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Initial when completed: Lot # of added preservative:
Headspace in VOA Vials (>6mm)?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Trip Blank Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Custody Seals Present?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

**CLIENT NOTIFICATION/RESOLUTION**

Field Data Required? ☐ Yes ☐ No

Person Contacted:

Date/Time:

Comments/Resolution:

Project Manager Review:

**Carol Dargatzis**

Date:

**3/2/17**

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).



# Analytical Data Package

**Prepared by:**

**Pace Analytical Services**

**Pace Project No.: 10380577**

# Table Of Contents

---



## InOrganic

### Gravimetric

Analytical Results (Form 1-IN) .....	1
Blanks (Form 3-IN) .....	2
Duplicates (Form 6-IN) .....	3
Laboratory Control Spike (Form 7-IN) .....	4
Method Detection Limits (Form 9-IN) .....	6
Preparation Log (Form 12-IN) .....	7
Analysis Run Log (Form 13-IN) .....	8
Preparation Logs Raw Data .....	9

FORM I INORGANIC-1  
INORGANIC ANALYSIS DATA SHEET

SAMPLE NO.

HFL-SVDB-T170301124240

Lab Name: Pace Analytical - Minnesota SDG No. : 10380577 Contract: Hudson River Remedial  
Lab Sample ID: 10380577001 Percent Moisture: \_\_\_\_\_

CAS No.	Analyte	Concentration	Q	Units	DF	Analysis Date/Time
	Total Suspended Solids	10.6		mg/L	1	03/06/2017 10:09

FORM III INORGANIC-1  
BLANKS

Lab Name: Pace Analytical - Minnesota SDG No. : 10380577 Contract : Hudson River Remedial ActionRE

Method Blank Matrix: Water Instrument ID: 10WET4

Method Blank Concentration Units: mg/L

Analyte	Initial Calibration Blank		Continuing Calibration Blank						Method Blank	
		C		C		C		C	2529854	C
Total Suspended Solids									<1.0	U

FORM VI INORGANIC-1  
DUPLICATES

SAMPLE NO.

2529856LCSD

Lab Name: Pace Analytical - Minnesota SDG No. : 10380577 Contract: Hudson River Remedial

Matrix: Water Concentration Units: mg/L

Percent Moisture:                      Basis: Wet

Analyte	Control Limit	Sample	Duplicate	RPD
Total Suspended Solids	10	86.1	92.8	7



FORM VII INORGANIC-1  
LABORATORY CONTROL SAMPLE

SAMPLE NO.

2529855LCS

Lab Name: Pace Analytical - Minnesota SDG No. : 10380577 Contract: Hudson River Remedial

Matrix: Water

Analyte	Units	True	Found	%R	Limits	
Total Suspended Solids	mg/L	100	86.1	86	80	120

FORM VII INORGANIC-2  
LABORATORY CONTROL SAMPLE

SAMPLE NO.

2529856LCSD

Lab Name: Pace Analytical - Minnesota SDG No. : 10380577 Contract: Hudson River Remedial

Matrix: Water

Analyte	Units	True	Found	%R	Limits	
Total Suspended Solids	mg/L	100	92.8	93	80	120

FORM IX INORGANIC-1  
METHOD DETECTION LIMITS

Lab Name: Pace Analytical - Minnesota SDG No. : 10380577 Contract: Hudson River Remedial ActionRE

Preparation Method: SM 2540D Instrument ID: 10WET4

Concentration Units: mg/L

Analyte	PQL	MDL	MDL Date
Total Suspended Solids	2.0	1.0	04/01/2015

FORM XII INORGANIC-1  
PREPARATION LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10380577 Contract: Hudson River Remedial ActionRE

Preparation Method: SM 2540D Batch: WET 52438

Lab Sample ID	Sample Name	Preparation Date	Initial Volume (mL)	Final Volume (mL)
2529854	2529854	03/06/2017	1000	500
2529855	2529855	03/06/2017	1000	500
2529856	2529856	03/06/2017	1000	500
10380577001	HFL-SVDB-	03/06/2017	1000	500

FORM XIII INORGANIC-1  
ANALYSIS RUN LOG

Lab Name: Pace Analytical - Minnesota SDG No. : 10380577 Contract: Hudson River Remedial ActionRE

Instrument ID: 10WET4

Analysis Method: SM 2540D

Start Date: 03/06/2017 10:09

End Date: 03/06/2017 10:09

Sample Name	Lab Sample ID	D/F	Date	Time	tss w
2529854BLANK	2529854	1	03/06/2017	10:09	X
2529855LCS	2529855	1	03/06/2017	10:09	X
2529856LCSD	2529856	1	03/06/2017	10:09	X
HFL-SVDB-T170301124240	10380577001	1	03/06/2017	10:09	X

Batch Information: WET 52438 TSS LL

Template Version: F-MN-I-326-Rev.03 (24Jan2017)

Analysis Method	SM 2540D	Analized By	NAS	Instrument	10WET4	Acceptance Range:	103-105 C
Oven ID	10WET17	Thermometer ID	4310	Oven Temp Correction Factor	0	Oven Temp In1   Corr Date/Time   Init	105.0   105.0   03/06/2017 10:09   NAS
Oven Temp Out1   Corr   Date/Time   Init	105.0   105.0   03/06/2017 11:14   NAS	Desic. In 1 ID   Date/Time   Init	6   03/06/2017 11:15   NAS	Desic. Out 1 Date/Time   Init	03/06/2017 13:48   NAS	Oven Temp In2   Corr Date/Time   Init	105.0   105.0   03/06/2017 13:51   NAS
Oven Temp Out2   Corr   Date/Time   Init	105.0   105.0   03/06/2017 15:19   NAS	Desic. In 2 ID   Date/Time   Init	6   03/06/2017 15:19   NAS	Desic. Out 2 Date/Time   Init	03/06/2017 16:17   NAS	Oven Temp In3   Corr Date/Time   Init	105.0   105.0   03/06/2017 16:22   NAS
Oven Temp Out3   Corr   Date/Time   Init	104.0   104.0   03/06/2017 17:36   NAS	Desic. In 3 ID   Date/Time   Init	6   03/06/2017 17:36   NAS	Desic. Out 3 Date/Time   Init	03/07/2017 08:06   NAS	Oven Temp In4   Corr Date/Time   Init	104.0   104.0   03/07/2017 08:08   NAS
Oven Temp Out4   Corr   Date/Time   Init	104.0   104.0   03/07/2017 09:08   NAS	Desic. In 4 ID   Date/Time   Init	6   03/07/2017 09:09   NAS	Desic. Out 4 Date/Time   Init	03/07/2017 09:38   NAS	Reviewed By	JFP
Reviewed By Date	03/07/2017 16:01	Batch Notes					

Sample Information:

QC Rule	Sample Type	Lab Sample ID	Select	ID	TSS Final (mg/L)	TSS Posted (mg/L)	Run Date/Time	Initial Volume (mL)	TSS Filters ( )	Filter Wt 1 (g)	Filter Use 1	Oven Wt 1 (g)	Oven Use 1	Oven Wt 2 (g)
2540D WLL	BLANK	2529854	Y	CH99X	0.0000	0.0000	03/06/2017 10:09	1000	111397 ( )	0.1159	M	0.1159	N	0.1159
2540D WLL	LCS	2529855	Y	CH99Y	86.100	172.20	03/06/2017 10:09	1000	111397 ( )	0.1171	M	0.2068	N	0.2048
2540D WLL	LCSD	2529856	Y	CH99Z	92.800	185.60	03/06/2017 10:09	1000	111397 ( )	0.1138	M	0.2093	N	0.2081
2540D WLL	PS	10380577001	Y	CH9A0	10.600	21.200	03/06/2017 10:09	1000	111397 ( )	0.1287	M	0.1391	N	0.1393
2540D WLL	PS	10380579001	Y	CH9A1	18.800	37.600	03/06/2017 10:09	1000	111397 ( )	0.1289	M	0.1477	N	0.1477

QC Rule	Sample Type	Lab Sample ID	Oven Use 2	Oven Wt Diff 1&2	Oven Wt 3 (g)	Oven Use 3	Oven %Diff 2&3	Oven Wt Diff 2&3	Oven Wt 4 (g)	Oven Use 4	Oven Wt Diff 3&4	Oven Wt 5 (g)	Sample Notes
2540D WLL	BLANK	2529854	Y	NaN	0.0000	N				N			
2540D WLL	LCS	2529855	N	2.2548	0.0020	N	2.3068	0.0020	0.2032	Y	0.46566	0.0004	
2540D WLL	LCSD	2529856	N	1.2645	0.0012	N	1.7112	0.0016	0.2066	Y	0.10782	0.0001	

10380577	QC Rule	Sample Type	Lab Sample ID	Oven Use 2	Oven %Diff 1&2	Oven Wt Diff 1&2	Oven Wt 3 (g)	Oven Use 3	Oven %Diff 2&3	Oven Wt Diff 2&3	Oven Wt 4 (g)	Oven Use 4	Oven %Diff 3&4	Oven Wt Diff 3&4	Sample Notes
2540D WLL	PS		10380577001	Y	1.9048	0.0002		N				N			
2540D WLL	PS		10380579001	Y	0.0000	0.0000		N				N			

QC Rule	Sample Type	Lab Sample ID	TS/TDS-SPK (mL)
2540D WLL	BLANK	2529854	
2540D WLL	LCS	2529855	112198 (50)
2540D WLL	LCSD	2529856	112198 (50)
2540D WLL	PS	10380577001	
2540D WLL	PS	10380579001	

Standard Notes:

112198: TS/TSS/TDS Handmade Standard, Used